

Humco Holding Group, Inc.
7400 Alumax Drive
Texarkana, TX 75501
903-831-7808

Cherry Syrup NF

Date Prepared: 12/18/09

SECTION 1 PRODUCT IDENTIFICATION & EMERGENCY INFORMATION

Product Name: Cherry Syrup

CAS # Mixture

FEMA #: NA

Contact Information:

CI # NA

Humco Holding Group
7400 Alumax Drive
Texarkana, Texas 75501

TSCA Inventory: TSCA 8(b) inventory:
Sucrose; Sodium Benzoate; Citric Acid;
Ethanol; FD&C Red #3; FD&C Red 40
Water; Artificial Flavoring

CHEMTREC (24HR EMERGENCY)
1-800-424-9300 (Domestic)
1-703-527-3887 (International)

Composition:

Sucrose	57-50-1	80 - 90%
Sodium Benzoate	532-32-1	0.1 – 0.4%
Citric Acid	77-92-9	0.1 – 0.4%
Ethanol	64-17-5	0.1 – 2.0%
FD&C Red #3	16423-60-0	0.01 – 0.05%
FD&C Red #40	25956-17-6	0.01 - 0.05%
Water	7732-18-5	13.0 – 15.0%
Artificial Flavor	Mixture	0.5 – 5.0 %

SECTION 2

HAZARDOUS INGREDIENTS

Slight skin and eye irritation may occur in case of accidental contact flush with cool water.

CARCINOGENIC EFFECTS: NA

MUTAGENIC EFFECTS: NA

TETRAGENIC EFFECTS: NA

DEVELOPMENTAL TOXICITY: PROVEN [Ethyl Alcohol 200 Proof]

Cherry Syrup NF

Ingestion: Do Not Induce Vomiting: If person is diabetic seek immediate medical attention if unconscious. Do not give anything by mouth to a person who is not fully conscious.

Inhalation: Allow victim to rest in a well ventilated area.

Note to Physician: Product contains 85% Sucrose and will effect blood sugar levels.

SECTION 6

REACTIVITY DATA

This material presents no significant reactivity hazard. Hazardous polymerization will not occur and it will not react violently with water. Contact with highly reactive chemical oxidants should be avoided. If burned this product will produce carbon monoxide and/or carbon dioxide.

SECTION 7

PERSONAL PROTECTION

Eyes: Wear safety glasses or goggles when handling bulk material.

Respiratory: NA

Other Protective Equipment: Gloves and protective clothing are optional

SECTION 9

SPILL, LEAK AND WASTE DISPOSAL PROCEDURES

Small Spill: Dilute with water and mop up. May be absorbed with dry inert material and disposed in accordance with local ordinances.

Large Spill: Absorb with an inert material and place material in appropriate waste disposal. Complete cleaning by dilution with water and suitable surfactant and rinse to drain in sanitary system.

SECTION 10

STORAGE AND HANDLING

Store in tightly sealed original container preferably in a well ventilated temperature controlled environment from 56 – 85 °F.